



CLAIMS:

A copy of the pending claims is set forth below:

1-8. (Cancelled)

9. (Previously Amended) A computer-readable medium containing a data structure, the data structure having rows and columns, the data structure comprising:

a plurality of rows of the data structure; and

a type value associated with each of the plurality of rows of the data structure, the type value identifying a set of one or more columns of the data structure associated with the corresponding row, thereby enabling the set of columns for each of the plurality of rows to vary based upon the type value for that row.

10. (Previously Amended) The computer-readable medium of claim 36 wherein a sub-column of one of the sub-rows of the nested data structure includes a further nested data structure.

11. (Previously presented) The computer-readable medium of claim 9 wherein the data structure is a nested conditional relation data structure.

12. (Previously Amended) The computer-readable medium of claim 33 wherein at least two rows of the data structure contain different type values in the type column.

13. (Previously Amended) The computer-readable medium of claim 37 wherein at least two sub-rows of the data structure contain different type values in the type sub-column.

14. (Previously Amended) The computer-readable medium of claim 9 wherein the type value for each of the plurality of rows identifies a schema for a type.

15. (Currently Amended) A method in a computer system for creating a data structure having a plurality of rows and columns, the method comprising:

identifying a type value associated with each of the plurality of rows of the data structure, the type value identifying a set of one or more columns of the data structure associated with the corresponding row, thereby enabling the set of columns for each of the plurality of rows to vary based upon the type value for that row; and

storing ~~data~~ the type value for each of the plurality of rows of the data structure, ~~the data including the type value for each of the plurality of rows of the data structure,~~ thereby enabling the set of columns for each of the plurality of rows to vary based upon the type value for that row.

16. (Previously Amended) The method of claim 38 wherein a sub-column of a sub-row of the nested data structure includes a further nested data structure.

17. (Previously Amended) The method of claim 15 wherein the data structure is a nested conditional relation data structure.

18. (Previously Amended) The method of claim 34 wherein at least two rows of the data structure contain different type values in the type column.

19. (Previously Amended) The method of claim 39 wherein at least two sub-rows of the nested data structure contain different type values in the type column.
20. (Previously Amended) The method of claim 15 wherein the type value for each of the plurality of rows identifies a schema for a type.
21. (Previously presented) The method of claim 15 including:
- providing a data store in a first format;
 - providing a mapping of the first format to a second format;
 - receiving a query for a data store based on the second format;
 - generating a query based on the first format using the received query and the provided mapping; and
- executing the generated query based on the first format against the provided data store in the first format to generate data wherein the generated data is stored in the created data structure.
22. (Previously presented) The method of claim 21 including converting the data of the created data structure into data in the second format.
23. (Previously presented) The method of claim 21 wherein the second format is an XML format.
24. (Currently Amended) A computer system for creating a data structure having rows and columns, comprising:

means for identifying a type value associated with each of the plurality of rows of the data structure, the type value identifying a set of one or more columns of the data structure associated with the corresponding row, thereby enabling the set of columns for each of the plurality of rows to vary based upon the type value for that row; and

means for storing ~~data~~ the type value for each of the plurality of rows of the data structure, ~~the data including the type value for each of the plurality of rows of the data structure,~~ thereby enabling the set of columns for each of the plurality of rows to vary based upon the type value for that row.

25. (Previously Amended) The computer system of claim 40 wherein a sub-column of a one of the sub-rows of the nested data structure includes a further nested data structure.

26. (Previously presented) The computer system of claim 24 wherein the data structure is a nested conditional relation data structure.

27. (Previously Amended) The computer system of claim 35 wherein at least two rows of the data structure contain different type values in the type column.

28. (Previously Amended) The computer system of claim 41 wherein at least two sub-rows of the nested data structure contain different type values in the type column.

29. (Previously Amended) The computer system of claim 24 wherein the type value for each of the plurality of rows identifies a schema for a type.

30. (Previously presented) The computer system of claim 24 including:

- a data store in a first format;
- a mapping of the first format to a second format;
- means for receiving a query for a data store based on the second format;
- means for generating a query based on the first format using the received query

and the mapping; and

- means for executing the generated query based on the first format against the data store in the first format to generate data wherein the generated data is stored in the created data structure.

31. (Previously presented) The computer system of claim 30 including converting the data of the created structure into data in the second format.

32. (Previously presented) The computer system of claim 30 wherein the second format is an XML format.

33. (Currently Amended) The computer-readable medium as recited in claim 9, the data structure further comprising:

- a type column ~~including~~ for storing the type values value for each of the plurality of rows.

34. (Currently amended) The method as recited in claim 15, wherein storing the type value ~~data~~ for each of the plurality of rows of the data structure comprises:

- storing the type value associated with each of the plurality of rows in a type column of the data structure.

35. (Currently amended) The computer system as recited in claim 24, wherein the means for storing ~~data~~ the type value for each of the plurality of rows of the data structure comprises:

means for storing the type value associated with each of the plurality of rows in a type column of the data structure.

36. (Currently Amended) The computer-readable medium as recited in claim 9, the data structure further comprising:

a nested data structure, the nested data structure including sub-rows and sub-columns, each of the sub-rows having an associated a-type value identifying a set of one or more sub-columns of the nested data structure associated with the corresponding sub-row, thereby enabling the set of sub-columns for each of the plurality of sub-rows to vary based upon the type value for that sub-row.

37. (Previously presented)The computer-readable medium as recited in claim 36, wherein one of the sub-columns is a type sub-column including the type value for the sub-rows.

38. (Previously presented)The method as recited in claim 15, wherein the data structure includes a nested data structure, the nested data structure including sub-rows and sub-columns, each of the sub-rows having a type value identifying a set of one or more sub-columns of the nested data structure associated with the corresponding sub-row, thereby enabling the set of sub-columns for each of the plurality of sub-rows to vary based upon the type value for that sub-row.

39. (Previously presented)The method as recited in claim 38, wherein one of the sub-columns is a type sub-column including the type value for the sub-rows.

40. (Previously presented)The computer system as recited in claim 24, wherein the data structure includes a nested data structure, the nested data structure including sub-rows and sub-columns, each of the sub-rows having a type value identifying a set of one or more sub-columns of the nested data structure associated with the corresponding sub-row, thereby enabling the set of sub-columns for each of the plurality of sub-rows to vary based upon the type value for that sub-row.

41. (Previously presented)The computer system as recited in claim 40, wherein one of the sub-columns is a type sub-column including the type value for the sub-rows.